



MEASURING SYSTEMS
FOR CONTINUOUS CASTING MACHINES





EMTM66

MOULD TAPER CHECKER

Leader in mould taper measuring. Light, versatile and accurate instrument, needful to keep under control the mould dimension, product quality, optimize maintenance costs and steel quality. High accuracy and reliability. Use easiness in CCM casting floor and in maintenance work shop.



FEATURES

- Light, versatile and easy to use
- Wide measure range by the same measure head
- Square, Round, Rectangular and Beam Blank mould shapes
- Mould measuring from 1 to 6 axis (3 each side)
- Auto calibration
- Battery powered



TECHNICAL DATA

Operator interface	Rugged Tablet PC
Accuracy	+/- 0.02 mm (2L Version) +/- 0.1 mm (PLUS Version)
Technology	Contact probe (Plus Version) Triangular Laser (2L Version)
Repeatability	+/- 0.02 mm
Data Trasferring	Bluetooth
Battery life	8 hours
Environmental IP	IP62
Weight	~ 7Kg

EMTM66 Mould Taper Measurer is available in different versions:

- EMTM66+: Plus Version (Standard)
- EMTM66-2L: Laser Version
- EMTM66-BB: Beam-Blank Version

BENEFITS

- Removal of the defects due the Mould
- Break-out reduction
- Mould life optimization
- Planning of the CCM stop for mould replacing
- Reduction of the mould overhauling
- New mould check
- Product quality



A. PACINOTTI, 26 - 57025 PIOMBINO (LI)
+39 0565 223439
SIDER@INFOL.IT